### AQUAFLEX WHITE SZN

Version Number 1.1 Revision Date 12/06/2024



Page 1 of 16 Print Date 01/08/2025

# SAFETY DATA SHEET

### AQUAFLEX WHITE SZN

Section 1. Identification	n	
GHS product identifier	:	AQUAFLEX WHITE SZN
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	FO20049458
Product type	:	solid
	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION
Supplier 8 uctails	•	
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)		accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.

## AQUAFLEX WHITE SZN

Version Number 1.1 Revision Date 12/06/2024

# **ÀVIENT**

Page 2 of 16 Print Date 01/08/2025

#### **Precautionary statements**

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20049458

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	>= 25 - <= 50	13463-67-7
Diethylene glycol	>= 5 - <= 10	111-46-6
1,2,3-Propanetriol	>= 1 - <= 3	56-81-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

## AQUAFLEX WHITE SZN



Version Number 1.1	Page 3 of 16
Revision Date 12/06/2024	Print Date 01/08/2025

Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated
		clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink.
		Do not induce vomiting unless directed to do so by medical personnel.
		Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact Inhalation Skin contact Ingestion Over-exposure signs/symptoms	<ul> <li>No known significant effects or critical hazards.</li> </ul>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate medic	al attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist
Specific treatments	<ul><li>immediately if large quantities have been ingested or inhaled.</li><li>No specific treatment.</li></ul>
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO <sub>2</sub> . None known.
Specific hazards arising from the chemical	:	In a fire or if heated, a pressure increase will occur and the container may burst.

## AQUAFLEX WHITE SZN

Version Number 1.1 Revision Date 12/06/2024

# **ÀVIENT**

Page 4 of 16
Print Date 01/08/2025

Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	nt ai	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## AQUAFLEX WHITE SZN

Version Number 1.1 Revision Date 12/06/2024

# **ÀVIENT**

#### Page 5 of 16 Print Date 01/08/2025

## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (2022-01-06) TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles TWA 2.5 mg/m3 Form: respirable fraction, finescale particles
Diethylene glycol	OARS WEEL (1999-01-01) TWA 10 mg/m3
1,2,3-Propanetriol	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust TWA 5 mg/m3 Form: Respirable fraction OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust

## AQUAFLEX WHITE SZN

Version Number 1.1 Revision Date 12/06/2024

# **ÀVIENT**

#### Page 6 of 16 Print Date 01/08/2025

		TWA 5 mg/m3 Form: Respirable fraction
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

## AQUAFLEX WHITE SZN

Version Number 1.1 Revision Date 12/06/2024

# **ÀVIENT**

Page 7 of 16 Print Date 01/08/2025

Physical state	:	solid [liquid]
Color	:	WHITE
Odor Odor threshold	:	Faint odor.
Odor threshold	:	Not available. Not available.
pH Melting point	:	Not available.
Boiling point	:	Not available.
Flash point		
<b>F</b>		Not applicable.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive (flammable) limits	:	Lower: Not applicable.
(Hammable) milits		Upper: Not applicable.
Vapor pressure	:	Not available.
Vapor density		Not applicable.
1 0		
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not applicable.
octanol/water		
Auto-ignition temperature	:	Not applicable.
		Not applicable.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not applicable.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.
		7/16

## AQUAFLEX WHITE SZN

Version Number 1.1 Revision Date 12/06/2024

# **ÀVIENT**

#### Page 8 of 16 Print Date 01/08/2025

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium oxide (TiO2)				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists		_	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Ethanol, 2,2'-oxybis-				
•	LD50 Oral	Rat	12,000 mg/kg	-
	LD50 Dermal	Rabbit	11,890 mg/kg	-
1,2,3-Propanetriol				
	LD50 Oral	Rat	12,600 mg/kg	-

**Conclusion/Summary** 

: Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Ethanol, 2,2'-oxybis-	Eyes - Mild irritant	Rabbit	-		-
	Skin - Mild irritant	Human	-	72 hrs	-
	Skin - Mild irritant	Rabbit	-		-
1,2,3-Propanetriol	Skin - Mild irritant	Rabbit	-	24 hrs	-
	Eyes - Mild irritant	Rabbit	-	24 hrs	-

#### **Conclusion/Summary**

## AQUAFLEX WHITE SZN

Version Number 1.1 Revision Date 12/06/2024



Page 9 of 16 Print Date 01/08/2025

Skin Eyes Respiratory <u>Sensitization</u>	<ul> <li>Mixture.Not fully tested.</li> <li>Mixture.Not fully tested.</li> <li>Mixture.Not fully tested.</li> </ul>
Conclusion/Summary Skin Respiratory	<ul><li>Mixture.Not fully tested.</li><li>Mixture.Not fully tested.</li></ul>
<u>Mutagenicity</u>	
Conclusion/Summary	: Mixture.Not fully tested.
<b>Carcinogenicity</b>	
Conclusion/Summary	: Mixture.Not fully tested.

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP
Titanium oxide (TiO2)	-	2B	-

#### **Reproductive toxicity**

**Conclusion/Summary** : Mixture.Not fully tested.

#### **Teratogenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

#### Specific target organ toxicity (single exposure) Not available.

Not available.

#### <u>Specific target organ toxicity (repeated exposure)</u> Not available.

#### Aspiration hazard

Not available.

# Information on the likely routes of : Not available. exposure

#### Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.

## AQUAFLEX WHITE SZN

Version Number 1.1 Revision Date 12/06/2024



Page 10 of 16 Print Date 01/08/2025

Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the physical	, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effects ar	nd also chronic effects from short and long term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available. Not available.
i otentiai uelayeu eneets	
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effects	
Conclusion/Summary	: Mixture.Not fully tested.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: Not available.
<b>Developmental effects</b>	: Not available.
Fertility effects	: No known significant effects or critical hazards.
Numerical measures of toxicity	
<u>Acute toxicity estimates</u> N/A	
Other information	: This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

# Section 12. Ecological information

## AQUAFLEX WHITE SZN

Version Number 1.1 Revision Date 12/06/2024



Page 11 of 16
Print Date 01/08/2025

#### **Toxicity**

Product/ingredient name	Result		Species	Exposure	
Titanium oxide (TiO2)					
	Acute LO Marine v	C50 > 1,000 Mg/l vater	Fish - Fundulus het	teroclitus 96 h	
	Acute LO	C50 3 Mg/l Fresh water	Crustaceans - Ceric dubia	odaphnia 48 h	
	Acute LC50 6.5 Mg/l Fresh water		Daphnia - Daphnia	pulex 48 h	
Ethanol, 2,2'-oxybis-					
Y	Acute L0 water	C50 75.2 Mg/l Fresh	Fish - Pimephales	promelas 96 h	
AQUAFLEX WHITE SZN					
Remarks - Acute - Aquatic invertebrates.:	Chemica	Chemicals are not readily available as they are bound within the polymer matrix.			
Conclusion/Summary	:	: Chemicals are not readily available as they are bound within the polymer matrix.			
Persistence and degradability					
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				
<b>Bioaccumulative potential</b>					
Product/ingredient name	I	LogPow	BCF	Potential	
Ethanol, 2,2'-oxybis-		1.98	100.00	low	

#### **Mobility in soil**

1,2,3-Propanetriol

Soil/water partition coefficient	:	Not available.
(KOC)		

-1.76

Other adverse effects

: No known significant effects or critical hazards.

-

low

# Section 13. Disposal considerations

11/16

## AQUAFLEX WHITE SZN

Version Number 1.1 Revision Date 12/06/2024



Page 12 of 16
Print Date 01/08/2025

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

## Section 15. Regulatory information

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed
12/16

### AQUAFLEX WHITE SZN

Version Number 1.1 Revision Date 12/06/2024



Page 13 of 16
Print Date 01/08/2025

United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

:	Listed
:	Not listed
:	Not listed
:	Not listed
:	Not listed
	:

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

Not applicable.

:

#### **Composition/information on ingredients**

No products were found.

110 products were round.			
Name	%	Classification	
Titanium oxide (TiO2)	>= 25 - <= 50	CARCINOGENICITY - Category 2	
Ethanol, 2,2'-oxybis-	>= 5 - <= 10	EYE IRRITATION - Category 2B	
40/40			

## AQUAFLEX WHITE SZN

Version Number 1.1 Revision Date 12/06/2024

# AVIENT

#### Page 14 of 16 Print Date 01/08/2025

1,2,3-Propanetriol	>= 1 - <= 3	EYE IRRITATION - Category 2B

Not applicable.

State regulations	
Massachusetts	: The following components are listed: Titanium dioxide White mineral oil (petroleum) 1,2,3-Propanetriol
New York	: None of the components are listed.
New Jersey	: The following components are listed: Titanium dioxide White mineral oil (petroleum) 1,2,3-Propanetriol
Pennsylvania	: The following components are listed: Titanium dioxide
	Diethylene glycol
	Silicic acid, aluminum magnesium sodium salt
	1,2,3-Propanetriol
Pennsylvania	<ul> <li>White mineral oil (petroleum) 1,2,3-Propanetriol</li> <li>The following components are listed: Titanium dioxide</li> <li>Diethylene glycol</li> <li>Silicic acid, aluminum magnesium sodium satisfies</li> </ul>

#### California Prop. 65

**WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.	
Canada inventory	:	All components are listed or exempted.	
International regulations Inventory list			
Australia	:	Not determined.	
Canada	:	All components are listed or exempted.	
China	:	All components are listed or exempted.	
<b>Eurasian Economic Union</b>	:	Russian Federation inventory: Not determined.	
		14/16	

## AQUAFLEX WHITE SZN

Version Number 1.1 Revision Date 12/06/2024

# AVIENT

Page 15 of 16 Print Date 01/08/2025

Japan	:	Japan inventory (CSCL): Not determined.
		Japan inventory (ISHL): Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.
Viet Nam	:	Not determined.

## Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Illstol y</u>		
Date of printing	:	01/08/2025
Date of issue/Date of revision	:	12/06/2024
Date of previous issue	:	07/01/2024
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
References	:	UN = United Nations Not available.
Notice to reader		

## AQUAFLEX WHITE SZN

Version Number 1.1 Revision Date 12/06/2024



Page 16 of 16 Print Date 01/08/2025

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.